

## **GENERAL INFORMATION**

The City of Sweeny is seeking bids for hydraulic rescue tools. Bids are being requested for both high pressure and low pressure equipment. Bidders may bid on either type or both.

This bid will include the following items.

### **High Pressure Tools**

- 1 - Portable Hydraulic Power Unit  
Including: 1 – 100' and 2 – 30' Hydraulic Hoses with Connectors
- 1 - Hydraulic Spreader
- 1 - Hydraulic Cutter
- 1 - Hydraulic Ram

### **Low Pressure Tools**

- 1 - Portable Hydraulic Power Unit  
Including 2 – 30' Hydraulic Hoses with Connectors
- 1 - Hydraulic Spreader
- 1 - Hydraulic Cutter

Demonstrations of equipment may be requested from responsive bidders prior to award being made.

All bids submitted are to be F.O.B., City of Sweeny, 102 Ashley Wilson, Sweeny, TX 77480, delivered.

Bids shall be valid for 60 Days from date of Bid Opening.

The City's standard payment terms are net 30 days from acceptance. Exception may be allowed for discounted early payment, such as 2% 10 net 30 days. The city will not consider any bids requiring C.O.D. payments.

## **SPECIFICATION FOR HYDRAULIC RESCUE TOOLS**

Please review each specification listed and check "Yes" to indicate that bidder does comply with the listed specification or "No" to indicate that bidder does not comply with the listed specification.

Tools shall be built to the standards of NFPA 1936 2010 Edition and preferably have NFPA 1936 2010 Edition Certification.

Please explain on bid form, Exceptions to Specifications, all exceptions taken. You may attach another sheet if necessary.

The following specifications list the minimum requirements for the items needed. Any bid failing to meet the minimum specifications will be considered incomplete and may be rejected. Any exceptions, deviations, or differences between bidder's rescue tools and the following specifications shall be noted and a complete explanation shall be provided with bid.

Checking "Yes" shall mean that the product being offered by bidder absolutely meets the listed specifications. Each bid shall be provided with tool specifications and/or literature on the tools

being offered that will adequately document the items bid meet or exceed the given specifications. Testing data based on the NFPA 1936 2010 Edition criteria is to be provided for all cutters and spreaders.

The following hydraulic rescue tools shall be utilized in extreme emergency situations; therefore, any rescue tools bid must meet the minimum requirements to be considered. All information requested is required to be provided. Any information requested that is not provided will render the bid non-responsive and may result in the rejection of the bid.

Bids on low pressure rescue tools and power units will preferably be compatible with the system currently in use. The current system is low pressure Hurst utilizing Hurst Streamline Couplings. If tools being bid are not compatible with the current system please explain the reason in the notes section of the bid sheet or attach on a separate sheet.

With the exceptions listed below all pricing shall be based on new equipment.

While new equipment is preferred. Demo tools and factory refurbished tools having the same manufacture warranty as new will be considered but must be clearly noted as such on the bid sheet.

Bidders are allowed and encouraged to offer more than one model that meets or exceeds the minimum requirements. Copies of bid sheets may be made for additional models.

Bidder shall include with bid the location of the nearest service provider. Should factory service or repair be required for any of the equipment included in this bid, bidder shall provide documentation on how replacement equipment is to be provided while repairs are made. Delivery and tool setup shall be part of this bid. A qualified representative of the contractor shall deliver the equipment and remain for a sufficient time to instruct select users in the operation, care, and maintenance of the delivered equipment. Training shall be performed at a time and location convenient for purchaser.

**Bidder Information**

Date of Bid: \_\_\_\_\_

Bidder Name: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Address: \_\_\_\_\_

Fax Number: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Email: \_\_\_\_\_

Name: \_\_\_\_\_

Title: \_\_\_\_\_

Signature: \_\_\_\_\_

Location of nearest service provider: \_\_\_\_\_

Notes:

---

---

---

---

---

---

---

---

**High Pressure Bid**

**Portable Hydraulic Power Unit Minimum Requirements**

Yes

No

Price shall include 1 – 100’ and 2 – 30’ hydraulic hoses to connect Power Unit to Cutters, Spreaders and Ram

The unit shall be able to operate two tools simultaneously.

\_\_\_\_\_

\_\_\_\_\_

The unit shall be capable of operating 25” Ram.

\_\_\_\_\_

\_\_\_\_\_

The unit shall have a maximum weight of 90 pounds.

\_\_\_\_\_

\_\_\_\_\_

**Bidder Name**

**Bidder Phone**

\_\_\_\_\_

\_\_\_\_\_

**Manufacturer**

**Model**

**Price**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Notes and/or Exceptions to Specifications**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**High Pressure Bid**

**Hydraulic Spreader Minimum Requirements**

Yes

No

The unit shall have a minimum spreading width of 28".

\_\_\_\_\_

\_\_\_\_\_

Shall have a minimum spreading force of 50,000 Pounds.

\_\_\_\_\_

\_\_\_\_\_

Shall have a maximum weight of 50 pounds.

\_\_\_\_\_

\_\_\_\_\_

**Bidder Name**

**Bidder Phone**

\_\_\_\_\_

\_\_\_\_\_

**Manufacturer**

**Model**

**Price**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Notes and or Exceptions**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**High Pressure Bid**

**Hydraulic Cutter Minimum Requirements**

Yes

No

The unit shall have a minimum cutter opening of 7".

\_\_\_\_\_

\_\_\_\_\_

The cutter blades shall have a cutter design with points (tips) for piercing and holding and edges for cutting. Straight blade design will not be considered.

\_\_\_\_\_

\_\_\_\_\_

Shall have a minimum cutting force of 150,000 Pounds.

\_\_\_\_\_

\_\_\_\_\_

Shall have a maximum weight of 47 pounds.

\_\_\_\_\_

\_\_\_\_\_

**Bidder Name**

**Bidder Phone**

\_\_\_\_\_

\_\_\_\_\_

**Manufacturer**

**Model**

**Price**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Notes and or Exceptions**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**High Pressure Bid**

**Hydraulic RAM Minimum Requirements**

Yes

No

The unit shall have a minimum spread length of 27".

\_\_\_\_\_

\_\_\_\_\_

Shall have a minimum spreading force of 30,000 Pounds.

\_\_\_\_\_

\_\_\_\_\_

Shall have a maximum weight of 45 pounds.

\_\_\_\_\_

\_\_\_\_\_

**Bidder Name**

**Bidder Phone**

\_\_\_\_\_

\_\_\_\_\_

**Manufacturer**

**Model**

**Price**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Notes and or Exceptions**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Low Pressure Bid**

**Portable Hydraulic Power Unit Minimum Requirements**

Price shall include 2 – 30' hydraulic hoses to connect Power Unit to Cutters, Spreaders.

Yes

No

The unit shall be able to operate two tools simultaneously.

\_\_\_\_\_

\_\_\_\_\_

The unit shall be capable of operating 25" Ram.

\_\_\_\_\_

\_\_\_\_\_

The unit shall have a maximum weight of 90 pounds.

\_\_\_\_\_

\_\_\_\_\_

Compatible with current System.

\_\_\_\_\_

\_\_\_\_\_

**Bidder Name**

**Bidder Phone**

\_\_\_\_\_

\_\_\_\_\_

**Manufacturer**

**Model**

**Price**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Notes and or Exceptions**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Low Pressure Bid**

**Hydraulic Spreader Minimum Requirements**

Yes

No

The unit shall have a minimum spreading width of 28".

\_\_\_\_\_

\_\_\_\_\_

Shall have a minimum spreading force of 40,000 Pounds.

\_\_\_\_\_

\_\_\_\_\_

Shall have a maximum weight of 50 pounds.

\_\_\_\_\_

\_\_\_\_\_

Compatible with current System.

\_\_\_\_\_

\_\_\_\_\_

**Bidder Name**

**Bidder Phone**

\_\_\_\_\_

\_\_\_\_\_

**Manufacturer**

**Model**

**Price**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Notes and or Exceptions**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Low Pressure Bid**

**Hydraulic Cutter Minimum Requirements**

Yes

No

The unit shall have a minimum cutter opening of 7".

\_\_\_\_\_

\_\_\_\_\_

The cutter blades shall have a cutter design with points (tips) for piercing and holding and edges for cutting. Straight blade design will not be considered.

\_\_\_\_\_

\_\_\_\_\_

Shall have a minimum cutting force of 150,000 Pounds.

\_\_\_\_\_

\_\_\_\_\_

Shall have a maximum weight of 47 pounds.

\_\_\_\_\_

\_\_\_\_\_

Compatible with current System.

\_\_\_\_\_

\_\_\_\_\_

**Bidder Name**

**Bidder Phone**

\_\_\_\_\_

\_\_\_\_\_

**Manufacturer**

**Model**

**Price**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Notes and or Exceptions**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_